10/087,952

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"20021944325"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 11:55
L2	0	"200201944325"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 11:55
L3	2	"20020194325"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 11:58
L4	2	"20020194325"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 11:59
L5	2	"20030163478"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 12:53
L6	8999	(minimum with time) and (maximum with time) and (average with time)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:00

L7	2537	I6 and estimate	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 12:54
L8	1828	I7 and transmit$	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 12:54
L9	161	"I9" and (transmit$ with network)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 12:55
L10	5	I9 and estimates	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 12:55
L11	7	I6 and "progress bar"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:03
L12	254	I6 and download and progress	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:05
L13	2	I12 and (estimate with completion)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:06

L14	125	l12 and estimat$ and completion	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:06
L15	214	l12 and e(stimat$ near completion)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:07
L16	1	l12 and (estimat$ near completion)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:12
L17	0	"minimum, maximum, and average time estimates"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:13
L18	6	minimum with maximum with average with time with estimates	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/03/27 13:13

Google Scholar BETA

| minimum maximum average time "progress ba | 1980 | - | 2002 | Search | Adv Scr Scr

Scholar   Results **1 - 10** of about **42** for **minimum maximum average time "progress bar"**. (0.28 seconds)

Customizable Physical Interfaces for Interacting with Conventional Applications - group of 9 »
S Greenberg, M Boyle - CHI Letters, 2002 - portal.acm.org
... consume desk space, different ones take **time** to learn ... With phidgets, an **average**
programmer with no hardware ... a single value in a **minimum/maximum** bounded range. ...
Cited by 13 - Web Search

YASAI: Yet Another Add-in for Teaching Elementary Monte Carlo Simulation in Excel - group of 5 »
J Eckstein, ST Riedmueller, J Wiley, I Sons - INFORMS Transactions on Education, 2002 - ite.pubs.informs.org
... contains the mean, standard deviation, **minimum**, **maximum**, and percentiles ... approximately
913/1000 = 91.3% of the **time**. The **average** number of orders lost per day ...
Cited by 4 - Cached - Web Search

Spatial audio in small screen device displays - group of 3 »
A Walker, S Brewster - Personal Technologies, 2000 - Springer
... 1Here sensitivity was measured as A', the **average** of the **maximum** and **minimum**
probability associated with a particular outcome [27]. ...
Cited by 15 - Web Search - BL Direct

Browsing the Web: Delay, Determination and Satisfaction - group of 6 »
F Culwin, X Faulkner - PROCEEDINGS OF THE ANNUAL HAWAII INTERNATIONAL CONFERENCE ON ...,
2001 - ieeexplore.ieee.org
... Websites in 1999 and found that **average** downloading times ... 2 seconds that is double
the recommended **minimum** delay for ... Again, the **maximum** delay is well below the ...
Web Search - BL Direct

Progress-based regulation of low-importance processes - group of 6 »
JR Douceur, WJ Bolosky - SOSP, 1999 - portal.acm.org
... Thus, the **average** tends to converge to the rate of ... this problem, MS Manners limits
the **maximum** execution rate ... is negatively related to m, the **minimum** number of ...
Cited by 27 - Web Search - BL Direct

Search by humming
SG Blackburn - Bsc in computer science, University of Southampton, ..., 1997 - ecs.soton.ac.uk
... The distance limit and **time** limit for the run is given on the ... number of contours
tested is returned, along with the **minimum**, **maximum** and **average** near match ...
Cached - Web Search

Writing ImageJ Plugins–A Tutorial - group of 9 »
W Bailer - Writing ImageJ Plugins–A Tutorial. Fachhochschule ..., 2002 - mars.f4.fhtw-berlin.de
... 5.2 ImageJ Window, Status Bar and **Progress Bar** . ... It is multithreaded, so **time**-consuming
operations such as image file reading can be performed in parallel with ...
Cited by 3 - View as HTML - Web Search

Parallel Discrete Event Simulation of a Packet-Switched Network Using a Variation of the Null ... - group of 2 »
D Rohan - 2002 - maths.tcd.ie
... discipline is First Come First Served K **Maximum** size of ... Denote the **average** arrival

rate of packets to the node by **...** than K packets in the system at any one **time**. **...**
View as HTML - Web Search

EPILEPTIC SEIZURE FOREWARNING BY NONLINEAR TECHNIQUES - group of 6 »
LM Hively, NE Clapp, VA Protopopescu, J Joseph, CE ... - Oak Ridge National Lab., Oak Ridge, TN, ORNL/TM-
2000/333, ..., 2000 - cesar.ornl.gov
... Please contact NBI. 2. *Determine the **maximum** (x max) and **minimum** (x min) in the
artifact **...** 3. Compute the **average** number of **time** steps per cycle (T **...**
Cited by 2 - View as HTML - Web Search

CONTROL SYSTEM APPLICATION LOOK AND FEEL GUIDELINES - group of 4 »
M Kadunc, J Kamenik, I Križnar, G Pajor, M ... - 2002 - cosylab.com
... could have a simple mode showing only the number, or an extended mode which would
also display the **maximum** an **minimum** values, units, **average** etc. **...**
Cited by 1 - View as HTML - Web Search

Gooooogle ▶

Result Page: **1** 2 3 4 5   **Next**

| minimum maximum average time "p| | Search |

Google Home - About Google - About Google Scholar

©2006 Google

Google Scholar BETA

minimum maximum average time "progress ba | 1980 | - | 2002 | Search | Ad\ Sci Sci

Scholar Results **11 - 20** of about **42** for **minimum maximum average time "progress bar"**. (0.08 seconds)

A Tool for Measuring Progress of Backtrack-Search Solvers - group of 4 »
FA Aloul, BD Sierawski, KA Sakallah - Symposium on the Theory and Applications of Satisfiability ..., 2002 -
eecs.umich.edu
... They describe a **progress bar** that can be integrat- ed into a backtrack SAT ... with an
accuracy of 80-90% without significantly impacting the solver's run **time**. ...
View as HTML - Web Search

Ambient touch: designing tactile interfaces for handheld devices - group of 4 »
I Poupyrev, S Maruyama, J Rekimoto - ACM UIST, 2002 - portal.acm.org
... Hence, we can approximate the **minimum** required latency of a ... the peak current may
be large, the **average** current is ... on the signal frequency and **maximum** voltage. ...
Cited by 32 - Web Search

A first approach to design web sites by using patterns
F Montero, M Lozano, P González, I Ramos - Proceedings of the First Nordic Conference On Pattern ..., 2002 -
dc.ufscar.br
... viewing of this site, I recommend a **minimum** of 640 ... not use blink or marquee elements,
limit **maximum** page size ... frames, people will have a hard **time** finding your ...
Cited by 2 - View as HTML - Web Search

Advanced features of program MARK - group of 3 »
GC White, KP Burnham, DR Anderson - Wildlife, land, and people: priorities for the 21st century. ..., 2001 -
cnr.colostate.edu
... McCullagh and Nelder 1989), where the **maximum** possible log ... Model averaging entails
a weighted **average** of the estimates ... value for model i and the **minimum** AIC c ...
Cited by 24 - View as HTML - Web Search

Supporting the CANCEL Command Through Software Architecture - group of 5 »
L Bass, BE John - 2002 - sei.cmu.edu
... At a **minimum**, the type of feedback depends on ... ection of information is estimated
to **average** 1 hour ... ABSTRACT (**MAXIMUM** 200 WORDS) A system that supports the ...
Cited by 3 - Web Search - Library Search

STUDY OF A GROUND PENETRATING RADAR SYSTEM BY FINITE
DTDSOF AN - 1997 - ece.sdsmt.edu
... that the **time** steps (Δt) must be small enough to allow a wave to propagate within
the same cell or to only one of the adjacent cells. The **maximum** Δt for ...
View as HTML - Web Search

Drawing Graphs to Convey Proximity: An Incremental Arrangement Method - group of 3 »
JD Cohen - ACM Transactions on Computer-Human Interaction, 1997 - portal.acm.org
... achieve a good arrangement in a short **time**: another cause ... path when the surface around
the **minimum** is not ... graph displayed in Figure 2(a). **Maximum** stable gains ...
Cited by 38 - Web Search - BL Direct

Program NOREMARK Software Reference Manual - group of 4 »
GC White - Colorado State University, Fort Collins, 1996 - biology.uark.edu
... 1993), the joint hypergeometric **maximum** likelihood estimator extended to incorporate
animals ... marked (telemetered) animals in the population at the **time** of the ...

Cited by 5 - View as HTML - Web Search

Vampir 2.0 - group of 11 »
P GmbH - User's Manual, Germany, 1998 - caspur.it
... 2.8 Statistics Window – **Maximum** Hidden ... While analyzing the tracefile a **progress bar**
shows the percentage ... each process over the complete period of **time** in one ...
View as HTML - Web Search

Distributed Speech Processing in MiPad's Multimodal User Interface - group of 4 »
L Deng, K Wang, A Acero, HW Hon, J Droppo, C ... - IEEE TRANSACTIONS ON SPEECH AND AUDIO
PROCESSING, 2002 - ieeexplore.ieee.org
... any new acoustic envi- ronment with **minimum** additional resources ... can be trained using
the **maximum** likelihood criterion ... the Aurora2 data with an **average** SNR = 10 ...
Cited by 8 - Web Search - BL Direct

◄ Gooooogle ►
Result Page: **Previous** 1 **2** 3 4 5   **Next**

| minimum maximum average time "pi | Search |

Google Home - About Google - About Google Scholar

©2006 Google

Google Scholar BETA

| minimum maximum average time "progress ba | 1980 | - | 2002 | Search | Adv Sch Sch |

Scholar Results **21 - 30** of about **42** for **minimum maximum average time "progress bar".** (**0.14** seconds)

COMPUTER CONTROL FOR PRECISION BEARING ANALYSIS - group of 3 »
VC Vigliano - 2001 - me.psu.edu
... Figure 3.6 Screen capture showing gray triangle that represents the **maximum** peak
of the ... to fatigue over a period of **time** or spontaneously due to high ... **minimum**. ...
Cited by 4 - View as HTML - Web Search

Design and Implementation of BiosignalMonitoring and Analysis Software
K Sikiö - 1999 - hut.fi
... be recorded into the computer's memory at any **time** for further ... **Minimum** computer
requirements ... **Maximum** input signal level is 8 Vp-p. Signal frequency band is ...
View as HTML - Web Search

A software-based system for listening tests
M Karjalainen - 2001 - acoustics.hut.fi
... next operation. The data entry is a tedious and boring job and can be very
time-consuming. Errors ... Amount of data. • **Average** or **maximum** bit-rate. ...
View as HTML - Web Search

SKED: A Course Scheduling and Advising Software - group of 4 »
R Mihali, T Sobh, D Vamoser - 2001 ASEE Annual Conference & Exposition: Peppers, Papers, ..., 2001 -
doi.wiley.com
... schedule of 8 semesters at an **average** of 18Å19 ... The execution **time** was reduced
significantly and the algorithm ... are being omitted through the **Maximum** Number of ...
Web Search - BL Direct

[BOOK] Rapid Prototyping Technology - group of 2 »
KG Cooper - 2001 - books.google.com
... And, ifyou are only considering buy- ing this book, or at least took the **time** to
pick it up and read the preface, hey, thank you, too! ... 18.I0 Cost and **Time** 179 ...
Cited by 10 - Web Search

IMPLEMENTATION OF A WIRELESS/MOBILE VIDEO DELIVERY SYSTEM
K BIRKETT - 2001 - purl.fcla.edu
... desirable when attempting to achieve **maximum** compression ... At the current **time**, an
average desktop system contains a 1.0 ... **minimum** amount of data must be transmitted ...
View as HTML - Web Search

Interactive browsing of 3D environment over the Internet - group of 5 »
C Zhang, J Li - Proceedings SPIE Visual Communications and Image Processing ..., 2001 - amp.ece.cmu.edu
... media unit (SMU), which is the **minimum** size for ... a media segment larger than the **maximum**
transmission unit ... The **average** number of frames rendered per second is ...
Cited by 7 - View as HTML - Web Search

LIBRARY FOR ORGANIZATION OF IMAGE RECOGNITION SYSTEMS
O SHYROKOV - 2002 - ece.unh.edu
... Richard Messner, for his **time** and effort ... OF THE **MAXIMUM** DISTANCE .....36 ...
View as HTML - Web Search

Early Component-Based Reliability Assessment using UML Based Software Models
B Cukic - 2002 - kitkat.wvu.edu
... It handles both execution and calendar **time**. ... The tool provides **Maximum** Likelihood
Estimation and Risk Regression methods to produce Reliability Growth Plots ...
View as HTML - Web Search

[BOOK] LabVIEW advanced programming techniques
R Bitter, T Mohiuddin, M Nawrocki - 2001 - books.google.com
... 8.2 **Progress Bar** Control ... VI, or subroutine, that takes the number of measurements
per **average** as input ... Every **time** achange is made to a VI, LabVIEW constructs a ...
Cited by 8 - Web Search - Library Search

◀ Gooooogle ▶

Result Page: **Previous** 1 2 3 4 5   **Next**

| minimum maximum average time "p| | Search |

Google Home - About Google - About Google Scholar

Google™
Scholar ○ BETA

| minimum maximum average time "progress ba | 1980 | - | 2002 | Search | Adv Scl Scl |

Scholar Results **31 - 40** of about **42** for **minimum maximum average time "progress bar"**. (**0.10** seconds)

INTERNET-BASED DISTRIBUTED COLLABORATIVE ENVIRONMENT FOR ENGINEERING EDUCATION AND DESIGN - group of 3 »
Q Sun, K Gramoll - 2001 - eml.ou.edu
... 7 Guaranteed Real-**time** Delivery ... 6.5.10 **Progress**
Bar...............161 ... that the **maximum** processor speed ...
Cited by 3 - View as HTML - Web Search

A Tool for Statistical Detection of Faults in Internet Protocol Networks - group of 3 »
J Roberts, S Fouche, J Purtilo - 2002 - drum.umd.edu
... logo and name along with a **progress bar** that indicates the ... The **time** length of the
sampling period, in seconds ... cycles of the buckets to **average** when establishing ...
View as HTML - Web Search

GRADUATE COLLEGE
AMATO COLLABORATIVE - 1999 - eml.ou.edu
... The ease of visual programming allows more **time** to be devoted to developing the
content. Another reason for choosing ... As the **average** modem speed for common user ...
View as HTML - Web Search

Supporting the development of electrophysiologically interactive computer systems
J Allanson - 2000 - comp.lancs.ac.uk
... 152 Figure 6.6 Using the **Progress Bar**'s Customizer to set the physiological signal
identifier ... At the present **time** each developer wishing to build an ...
Cited by 4 - View as HTML - Web Search

EEG-Based Human Interface for Disabled Individuals: Emotion Expression with Neural Networks - group of 2 »
A Choppin - 2000 - membres.lycos.fr
... 2.2 Psychological views of emotion Emotion is very broad concept and it is now **time**
to look at how one can precise what is meant in the context of this study. ...
Cited by 1 - View as HTML - Web Search

Auditory Direct Manipulation for Blind Computer Users - group of 3 »
F Winberg - Licentiate thesis, Royal Institute of Technology, Stockholm, ..., 2001 - hku.nl
... John Bowers, my assistant supervisor, for the **time** spent on discussing really
heavy concepts that I still do not think I fully understand. ...
Cited by 1 - View as HTML - Web Search

[BOOK] Designing from Both Sides of the Screen: How Designers and Engineers Can Collaborate to Build ...
E Isaacs, A Walendowski - 2002 - books.google.com
... Signs ofProgress 46 Keep Preferences to a **Minimum**: Give Smart ... thank him for giving
us the **time** and freedom ... the point of view of the **average**, nontechnical user. ...
Cited by 4 - Web Search - Library Search

A Swarming Approach to Terrain Mapping
G Ruben - 1998 - users.bigpond.net.au
... ensures that some **time** persistent task is being achieved or a dynamic equilibrium ...

Following aims to reach and maintain a **minimum** angle between the position of **...**
View as HTML - Web Search

SKETCHING SPATIAL QUERIES - group of 2 »
AD Blaser - 2000 - spatial.maine.edu
... time during our stay in the New World. **...** 147 7.1.3 Adjusted
Average and Standard Deviation..... 148 **...**
Cited by 15 - Web Search

Text/Graphics and Image Transmission over Bandlimited Lossy Links - group of 3 »
JM Gilbert - 2000 - cs.columbia.edu
Page 1. Text / Graphics and Image Transmission over Bandlimited Lossy Links by
Jeffrey Michael Gilbert BA (Harvard University) 1993 M.Phil. **...**
View as HTML - Web Search - Library Search

◀ Gooooogle ▶
Result Page: **Previous** 1 2 3 4 5   **Next**

| minimum maximum average time "p| | Search |

Google Home - About Google - About Google Scholar

Google
Scholar BETA | minimum maximum average time "progress ba | 1980 | - | 2002 | | Search | Adv Sch Sch

Scholar   Results **41 - 42** of **42** for **minimum maximum average time "progress bar"**. **(0.02** seconds)

[BOOK] Patterns of Enterprise Application Architecture - group of 2 »
M Fowler... - 2002 - books.google.com
... the dotted line: sending out bills, handling someone upgrading one of the assets
on the lease, chasing people who don't pay their bills on **time**, and figuring ...
Cited by 155 - Web Search - Library Search

[BOOK] Inside Windows 2000 Server
W Boswell - 1999 - books.google.com
... started back before the initial beta ofWindows 2000. I consider myself incredibly
fortunate to have worked with a great team during that **time**. ... right **time**. ...
Cited by 3 - Web Search - Library Search

◀ Gooooogle
Result Page: **Previous** 1 2 3 4 **5**

| minimum maximum average time "p| | Search |

Google Home - About Google - About Google Scholar